

# SAFETY DATA SHEET

Issuing Date 24-Apr-2014 Revision Date 29-Aug-2017 Revision Number 1

# Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name VP31, VP45, VP62, VP80, VP98, VP125sp, VP160, VP175sp, VP250, VP330, VP450

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Viscometer and/or density measurement equipment calibration and performance

verification reference standard

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

Cannon Instrument Company 2139 High Tech Rd.

State College, PA 16803-1733 TEL: (814) 353-8000; (800) 676-6232 For further information, please contact

**E-mail Address** No information available.

1.4. Emergency telephone number

**Emergency Telephone** (800) 255-3924 Domestic CHEM-TEL Inc.

Number +1 (813) 248-0585 Overseas CHEM-TEL Inc. (Please Call Collect)

Europe 112

# Section 2. Hazards identification

### 2.1. - Classification of the substance or mixture

### **REGULATION (EC) No 1272/2008**

Acute Inhalation Toxicity - Dusts and Mists Category 4

**Physical Hazards** 

None

### 2.2. Label Elements



Signal Word Warning

Hazard Statements H332 - Harmful if inhaled

Precautionary Statements - EU (§28, 1272/2008)

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

### 2.3. Other information

May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination Repeated or prolonged skin contact may cause allergic reactions with susceptible persons Prolonged skin contact may defat the skin and produce dermatitis

# Section 3. Composition/information on ingredients

### 3.1. Substances

# 3.2. Mixtures

Chemical Name	EC-No	CAS-No	Weight %	EU - GHS Substance Classification	REACH No.
Residual oils (petroleum), solvent refined	265-101-6	64742-01-4	<100	Carc. 1B (H350)	No data available
Petroleum distillates, solvent-refined light paraffinic	265-091-3	64741-89-5	<100	Carc. 1B (H350)	No data available
Petroleum distillates, solvent-refined heavy paraffinic	265-090-8	64741-88-4	<100	Carc. 1B (H350)	No data available
Petroleum distillates, solvent dewaxed heavy paraffinic	265-169-7	64742-65-0	<100	Carc. 1B (H350)	No data available
Petroleum distillates, hydrotreated heavy paraffinic	265-157-1	64742-54-7	<100	Carc. 1B (H350)	No data available
Petroleum distillates, hydrotreated heavy naphthenic	265-155-0	64742-52-5	<100	Carc. 1B (H350)	No data available
Naphtha (petroleum), hydrotreated heavy	265-150-3	64742-48-9	<100	Muta. 1B (H340) Carc. 1B (H350) Asp. Tox. 1 (H304)	No data available
Chloroalkanes	263-004-3 430-650-4	61788-76-9	<100		No data available

For the full text of the H-Statements mentioned in this Section, see Section 16

# Section 4. First aid measures

# 4.1. Description of first-aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention if

irritation persists.

Skin Contact Wash off with warm water and soap. Remove and wash contaminated clothing before

re-use. Get medical attention if symptoms occur.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Drink plenty of water. Get medical attention.

Inhalation IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. Get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Drowsiness. Dizziness. Irritation.

### 4.3. Indication of immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# Section 5. Fire-fighting measures

### 5.1. Extinguishing media

**Suitable Extinguishing Media** 

# WPS-CAN-012 - VP31, VP45, VP62, VP80, VP98, VP125sp, VP160, VP175sp, VP250, VP330, VP450

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases None in particular.

### 5.3. Advice for firefighters

### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

### Section 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

### 6.3. Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

See Section 12 for additional information.

# Section 7. Handling and storage

### 7.1. Precautions for Safe Handling

#### Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

# 7.3. Specific end use(s)

## **Exposure Scenario**

No information available.

# Other Guidelines

No information available.

### Section 8. Exposure controls/personal protection

# 8.1. Control parameters

### **Exposure Limits**

Chemical Name	Finland	France	Germany	Gibraltar	Greece
Naphtha (petroleum),			TWA: 50 ppm		
hydrotreated heavy			TWA: 300 mg/m <sup>3</sup>		

# WPS-CAN-012 - VP31, VP45, VP62, VP80, VP98, VP125sp, VP160, VP175sp, VP250, VP330, VP450

64742-48-9				Ceiling / Peak: 100 ppm Ceiling / Peak: 600 mg/m³ Repr*			
Chemical Name	The Nethe	rlands	Norway	Poland	Portu	ıgal	Spain
Naphtha (petroleum), hydrotreated heavy 64742-48-9				TWA: 300 mg/m <sup>3</sup> STEL: 900 mg/m <sup>3</sup>			
Chemical Name			Switzerland	Sweden	Sweden The Ur		United Kingdom
Naphtha (petroleum), hydrotreated heavy 64742-48-9		S	STEL: 100 ppm TEL: 600 mg/m <sup>3</sup> TWA: 50 ppm WA: 300 mg/m <sup>3</sup>				

### **Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Derived No Effect Level**No information available.

Predicted No Effect Concentration N

(PNEC)

No information available.

#### 8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye Protection Safety glasses with side-shields.
Skin and Body Protection Long sleeved clothing.

Skin and Body Protection
Hand Protection

Hand Protection Protective gloves.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

**Environmental Exposure Controls** No information available.

# Section 9. Physical and chemical properties

Personal protection equipment should be chosen according to the CEN standards

# 9.1. Information on basic physical and chemical properties

Physical State Liquid Appearance Pale yellow.

Odor Hydrocarbon-like

Property Values Remarks/ - Method

рΗ No data available None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** >315 °C None known Flash Point > 190 °C Open cup No data available **Evaporation rate** None known Flammability (solid, gas) No data available None known Flammability Limits in Air No data available None known

No data available. **Vapor Pressure** None known **Vapor Density** No data available. None known No data available 0.87 - 0.89 **Relative Density** None known Water Solubility Insoluble in water. None known Solubility in other solvents Soluble in solvents. None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** 58-1100 cSt @ 25°C None known

**Explosive Properties**Oxidizing Properties
No information available
No information available

Revision Date 29-Aug-2017

9.2. Other information

**VOC Content (%)** No information available

# Section 10. Stability and reactivity

#### 10.1. Reactivity

Not reactive under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

None under normal use.

# Section 11. Toxicological information

### 11.1. Information on toxicological effects

**Acute Toxicity** 

**Product Information** 

Inhalation Harmful by inhalation. Inhalation of mist may cause irritation to the respiratory system.

Contact with eyes may cause irritation. **Eye Contact** 

**Skin Contact** No known hazard in contact with skin. Prolonged skin contact may defat the skin and

produce dermatitis. Prolonged or repeated contact may dry skin and cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent-refined heavy paraffinic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m³ (Rat) 4 h
Petroleum distillates, solvent-refined light paraffinic	> 15 g/kg (Rat)	> 5 g/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
Residual oils (petroleum), solvent refined	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	= 2.18 mg/L (Rat) 4 h
Naphtha (petroleum), hydrotreated heavy	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 8500 mg/m³ ( Rat ) 4 h
Petroleum distillates, hydrotreated heavy paraffinic	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	
Petroleum distillates, solvent dewaxed heavy paraffinic			>4.7 mg/l (rat) 4 hr.

Sensitization No information available. **Mutagenic Effects** No information available.

The classification listed for the petroleum distillates in this product pertains to those that **Carcinogenic Effects** 

contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in

this product do not meet that criteria to be classified as carcinogens.

**Reproductive Toxicity** No information available. **Developmental Toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available.

**Target Organ Effects** Skin. Central nervous system (CNS). Eyes. Respiratory system.

**Aspiration Hazard** No information available.

# Section 12. Ecological information

### 12.1. Toxicity

### **Ecotoxicity Effects**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Residual oils (petroleum), solvent refined	-	> 5000 mg/L: LC50 96 h (Oncorhynchus mykiss)	-	EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent-refined light paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent-refined heavy paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent dewaxed heavy paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy naphthenic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Naphtha (petroleum), hydrotreated heavy		LC50 96 h: = 2200 mg/L (Pimephales promelas)		LC50 96 h: = 2.6 mg/L (Chaetogammarus marinus)

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

Adsorbs on soil.

### 12.5. Results of PBT and vPvB assessment

No information available.

## 12.6. Other adverse effects

This product does not contain any known or suspected endocrine disruptors.

# Section 13. Disposal considerations

### 13.1. Waste treatment methods

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging Empty containers should b

Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **Section 14. Transport information**

**Note:** The information provided below may not apply to all shipping situations. Consult appropriate

Dangerous Goods Regulations for additional requirements and mode-specific, material-specific, or quantity-specific shipping requirements.

#### IMDG/IMO

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.

**14.5. Marine Pollutant**None **14.6. Special Provisions**None

**14.7. Transport in bulk according** No information available.

to Annex II of MARPOL 73/78 and

the IBC Code

### RID

14.1.UN-NumberNot regulated.14.2.Proper Shipping NameNot regulated.14.3.Hazard ClassNot regulated.14.4.Packing GroupNot regulated.DescriptionNot applicable.

14.5. Environmental hazard None 14.6. Special Provisions None

### ADR

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.

14.5. Environmental hazard None14.6. Special Provisions None

### ICAO

14.1. UN-NumberNot regulated.14.2. Proper shipping nameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.14.5. Environmental hazardNone

**14.5. Environmental hazard** None **14.6. Special Provisions** None

### IATA

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.

14.5. Environmental hazard None14.6. Special Provisions None

# Section 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

TSCA Not determined
EINECS/ELINCS Not determined
DSL/NDSL Complies
PICCS Not determined
ENCS Not determined
IECSC Not determined

AICS Not determined KECL Not determined

### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

### 15.2. Chemical Safety Assessment

No information available

### Section 16. Other information

### Full text of H-Statements referred to under sections 2 and 3

H340 - May cause genetic defects

H350 - May cause cancer

H304 - May be fatal if swallowed and enters airways

### Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 24-Apr-2014

Revision Date 29-Aug-2017

**Revision Note** (M)SDS sections updated: 3, 8.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No. 1907/2006

### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**