

SAFETY DATA SHEET

Issuing Date 27-Jul-2017 Revision Date 06-Mar-2018 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name HT39, HT75, HT150, HT240, HT390, R-300 / R-2300, R-350 / R-2350, R-400 / R-2400,

R-450 / R-2450, R-500, R-600, RL 102, RL 103, RL 104, RL 105, RL 106, RL107

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Viscometer and/or density measurement equipment calibration and performance

verification reference standard

Uses advised against No information available

Supplier's details

Supplier Address

Cannon Instrument Company 2139 High Tech Rd. State College, PA 16803-1733

TEL: (814) 353-8000; (800) 676-6232

Emergency telephone number

Emergency Telephone (800) 255-3924 Domestic CHEM-TEL Inc.

Number +1 (813) 248-0585 Overseas CHEM-TEL Inc. (Please Call Collect)

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Acute Inhalation Toxicity - Dusts and Mists Category 4

Label Elements

Signal Word

Warning



Hazard Statements

Harmful if inhaled

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.

General Advice

None

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell.

Storage

None

Disposal

• None

Other information

May cause eye, skin, and respiratory tract irritation. Prolonged skin contact may defat the skin and produce dermatitis. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Residual oils (petroleum), solvent refined	64742-01-4	<100	-	-
Petroleum distillates, solvent-refined light paraffinic	64741-89-5	<100	-	-
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	<100	-	-
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	<100	-	-
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	<100	-	-
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	<100	-	-
Naphtha (petroleum), hydrotreated heavy	64742-48-9	<100	-	-
Chloroalkanes	61788-76-9	<100	-	-

4. FIRST AID MEASURES

WPS-CAN-011GHNA - HT39, HT75, HT150, HT240, HT390, R-300 / R-2300, R-350 / R-2350, R-400 / R-2400, R-450 / R-2450, R-500, R-600, RL 102, RL 103, RL 104, RL 105, RL 106, RL107

...,

Description of necessary first-aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention if

irritation persists.

Skin Contact Remove and wash contaminated clothing before re-use. Wash off with warm water and

soap. Get medical attention if symptoms occur.

Inhalation Get medical attention. IF INHALED: If breathing is difficult, remove to fresh air and keep at

rest in a position comfortable for breathing.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Drink plenty of water. Get medical attention.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Drowsiness. Dizziness. Irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the No information available.

Chemical

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and

Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological

Information.

Methods and materials for containment and cleaning up

Methods for Containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for Cleaning UpClean contaminated surface thoroughly.

105, RL 106, RL107

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Handle in

accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Keep away from open flames, hot surfaces and sources of ignition. Keep containers tightly

closed in a dry, cool and well-ventilated place.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m ³ , as oil mist, mineral	-
Residual oils (petroleum), solvent refined 64742-01-4	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m³, as oil mist, mineral	-
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m ³ , as oil mist, mineral	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m ³ , as oil mist, mineral	-

Appropriate engineering controls

Engineering Measures Showers

> Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection

Safety glasses with side-shields. Wear protective gloves/clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. **Appearance** Pale yellow.

Odor Hydrocarbon-like. **Odor Threshold** No information available.

Property Values Remarks/ - Method pН No data available None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** >315 °C None known Flash Point > 190 °C Open cup **Evaporation rate** None known No data available Flammability (solid, gas) No data available None known

Flammability Limits in Air
upper flammability limit
lower flammability limit
Vapor Pressure

No data available
No data available

None known **Vapor Density** No data available None known **Relative Density** No data available None known **Specific Gravity** 0.87 - 0.89at 15 °C **Water Solubility** Insoluble in water. None known Solubility in other solvents Soluble. None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** 40-480 cSt @ 40°C None known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Harmful by inhalation. Inhalation of mist may cause irritation to the respiratory system.

Eye Contact Contact with eyes may cause irritation.

Skin Contact No known hazard in contact with skin. Prolonged skin contact may defat the skin and

produce dermatitis. Prolonged or repeated contact may dry skin and cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Numerical measures of toxicity - Product

WPS-CAN-011GHNA - HT39, HT75, HT150, HT240, HT390, R-300 / R-2300, R-350 / R-2350, R-400 / R-2400, R-450 / R-2450, R-500, R-600, RL 102, RL 103, RL 104, RL 105, RL 106, RL107

The following values are calculated based on chapter 3.1 of the GHS document:

Inhalation dust/mist

2.18 mg/L; (ATE Mix)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent-refined	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m ³ (Rat) 4 h
heavy paraffinic			
Petroleum distillates, solvent-refined	> 15 g/kg (Rat)	> 5 g/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
light paraffinic			
Residual oils (petroleum), solvent	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	= 2.18 mg/L (Rat) 4 h
refined			
Naphtha (petroleum), hydrotreated	> 6000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 8500 mg/m ³ (Rat) 4 h
heavy			
Petroleum distillates, hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
heavy naphthenic			
Petroleum distillates, hydrotreated	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
heavy paraffinic			
Petroleum distillates, solvent	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	>4.7 mg/l (rat) 4 hr.
dewaxed heavy paraffinic			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization **Germ Cell Mutagenicity**

No information available No information available

Carcinogenicity

Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Residual oils (petroleum), solvent refined	A2	Group 1	Known	X
Petroleum distillates, solvent-refined light paraffinic	A2	Group 1	Known	X
Petroleum distillates, solvent-refined heavy paraffinic	A2	Group 1	Known	X
Petroleum distillates, solvent dewaxed heavy paraffinic	A2	Group 1	Known	X
Petroleum distillates, hydrotreated heavy paraffinic	A2	Group 1	Known	X
Petroleum distillates, hydrotreated heavy naphthenic	A2	Group 1	Known	Х
Chloroalkanes		Group 2B		X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available
No information available

Chronic Toxicity Prolonged skin contact may defat the skin and produce dermatitis. May cause central

nervous system depression with nausea, headache, dizziness, vomiting, and

incoordination.

 Target Organ Effects
 Respiratory system. Eyes. Skin. Central nervous system (CNS).

Aspiration Hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent-refined light paraffinic 64741-89-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Residual oils (petroleum), solvent refined 64742-01-4	-	> 5000 mg/L: LC50 96 h (Oncorhynchus mykiss)	-	EC50 48 h: > 1000 mg/L (Daphnia magna)
Naphtha (petroleum), hydrotreated heavy 64742-48-9		LC50 96 h: = 2200 mg/L (Pimephales promelas)		LC50 96 h: = 2.6 mg/L (Chaetogammarus marinus)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No information available

Bioaccumulation No information available

Mobility No information available

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

Note: The information provided below may not apply to all shipping situations. Consult

appropriate Dangerous Goods Regulations for additional requirements and mode-specific,

material-specific, or quantity-specific shipping requirements.

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated.

IMDG/IMO Not regulated.

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances
Persistent Organic Pollutants
Hazardous Waste
The Rotterdam Convention (Prior Informed Consent)
International Convention for the
Not applicable
Not applicable
Not applicable

Prevention of Pollution from Ships

(MARPOL)

International Inventories

TSCA - Complies

ENCS Not determined
IECSC Not determined
KECL Not determined
PICCS Not determined
AICS Not determined

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

WPS-CAN-011GHNA - HT39, HT75, HT150, HT240, HT390, R-300 / R-2300, R-350 / R-2350, R-400 / R-2400, R-450 / R-2450, R-500, R-600, RL 102, RL 103, RL 104, RL 105, RL 106, RL107

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Chloroalkanes				X	
Petroleum distillates, solvent-refined heavy paraffinic				Х	
Petroleum distillates, solvent-refined light paraffinic		X		X	
Residual oils (petroleum), solvent refined				Х	
Petroleum distillates, hydrotreated heavy naphthenic				X	
Petroleum distillates, hydrotreated heavy paraffinic				Х	
Petroleum distillates, solvent dewaxed heavy paraffinic				Х	

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection X
Prepared By	23 British Latham, N	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501		
Issuing Date	27-Jul-2017			
Revision Date	06-Mar-20	018		
Revision Note	Name cha	ange.		

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet