

Issuing Date 27-Jul-2017

Revision Date 27-Jul-2017

Revision Number 0

*This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.*

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** VP620

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Viscometer and/or density measurement equipment calibration and performance verification reference standard

**Uses advised against** No information available

### Supplier's details

#### **Supplier Address**

Cannon Instrument Company  
2139 High Tech Rd.  
State College, PA 16803-1733  
TEL: (814) 353-8000; (800) 676-6232

### Emergency telephone number

**Emergency Telephone Number** (800) 255-3924 Domestic CHEM-TEL Inc.  
+1 (813) 248-0585 Overseas CHEM-TEL Inc. (Please Call Collect)

## 2. HAZARDS IDENTIFICATION

### Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Acute Inhalation Toxicity - Dusts and Mists

Category 4

### Label Elements

**Signal Word**  
Warning



**Hazard Statements**

Harmful if inhaled

**Physical and Health Hazards Not Otherwise Classified**

Not applicable.

**Precautionary Statements****Prevention**

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.

**General Advice**

- None

**Inhalation**

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell.

**Storage**

- None

**Disposal**

- None

**Other information**

Prolonged skin contact may defat the skin and produce dermatitis. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Residual oils (petroleum), solvent refined	64742-01-4	<95	-	-
Petroleum distillates, solvent-refined light paraffinic	64741-89-5	<95	-	-
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	<95	-	-
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	<95	-	-
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	<95	-	-
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	<95	-	-
Naphtha (petroleum), hydrotreated heavy	64742-48-9	<95	-	-
Chloroalkanes	61788-76-9	<95	-	-
Polybutene	9003-29-6	<10	-	-

### 4. FIRST AID MEASURES

**Description of necessary first-aid measures****Eye Contact**

Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention if irritation persists.

**Skin Contact**

Remove and wash contaminated clothing before re-use. Wash off with warm water and soap. Get medical attention if symptoms occur.

**Inhalation**

Get medical attention. IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Get medical attention.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** Drowsiness. Dizziness. Irritation.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific Hazards Arising from the Chemical** No information available.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment. Avoid contact with skin, eyes and clothing.

**Environmental Precautions**

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for Cleaning Up** Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep away from open flames, hot surfaces and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-
Residual oils (petroleum), solvent refined 64742-01-4	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-

**Appropriate engineering controls****Engineering Measures**

Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**  
**Skin and Body Protection**  
**Respiratory Protection**

Safety glasses with side-shields.  
Wear protective gloves/clothing.  
If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid.	<b>Appearance</b>	Pale yellow.
<b>Odor</b>	Hydrocarbon-like.	<b>Odor Threshold</b>	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
<b>pH</b>	No data available	None known
<b>Melting Point/Range</b>	No data available	None known
<b>Boiling Point/Boiling Range</b>	No data available	None known
<b>Flash Point</b>	> 115 °C	Closed cup
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
upper flammability limit	No data available	
lower flammability limit	No data available	
<b>Vapor Pressure</b>	No data available	None known
<b>Vapor Density</b>	No data available	None known
<b>Relative Density</b>	No data available	None known
<b>Specific Gravity</b>	0.89	at 15 °C
<b>Water Solubility</b>	Insoluble in water.	None known
<b>Solubility in other solvents</b>	Soluble in solvents.	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition Temperature</b>	No data available	None known
<b>Decomposition Temperature</b>	No data available	None known
<b>Viscosity</b>	1700 cSt @ 25°C	None known

<b>Flammable Properties</b>	Not flammable
<b>Explosive Properties</b>	No data available
<b>Oxidizing Properties</b>	No data available
<b>Other information</b>	
<b>VOC Content (%)</b>	No data available

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Not reactive under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Keep away from open flames, hot surfaces and sources of ignition.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### **Information on likely routes of exposure**

#### **Product Information**

<b>Inhalation</b>	Harmful by inhalation. Inhalation of mist may cause irritation to the respiratory system.
<b>Eye Contact</b>	Contact with eyes may cause irritation.
<b>Skin Contact</b>	No known hazard in contact with skin. Prolonged skin contact may defat the skin and produce dermatitis. Prolonged or repeated contact may dry skin and cause irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Numerical measures of toxicity - Product**

*The following values are calculated based on chapter 3.1 of the GHS document:*

<b>Inhalation dust/mist</b>	2.18 mg/L; (ATE Mix)
-----------------------------	----------------------

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent-refined heavy paraffinic	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5530 mg/m <sup>3</sup> ( Rat ) 4 h
Petroleum distillates, solvent-refined light paraffinic	> 15 g/kg ( Rat )	> 5 g/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h
Residual oils (petroleum), solvent refined	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	= 2.18 mg/L ( Rat ) 4 h
Naphtha (petroleum), hydrotreated heavy	> 5000 mg/kg ( Rat )	> 3160 mg/kg ( Rabbit )	> 8500 mg/m <sup>3</sup> ( Rat ) 4 h
Petroleum distillates, hydrotreated heavy paraffinic	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Petroleum distillates, solvent dewaxed heavy paraffinic	-	-	>4.7 mg/l (rat) 4 hr.

### **Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

### **Delayed and immediate effects and also chronic effects from short and long term exposure**

<b>Respiratory or Skin Sensitization</b>	No information available.
<b>Germ Cell Mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Residual oils (petroleum), solvent refined	A2	Group 1	Known	X
Petroleum distillates, solvent-refined light paraffinic	A2	Group 1	Known	X
Petroleum distillates, solvent-refined heavy paraffinic	A2	Group 1	Known	X
Petroleum distillates, solvent dewaxed heavy paraffinic	A2	Group 1	Known	X
Petroleum distillates, hydrotreated heavy paraffinic	A2	Group 1	Known	X
Petroleum distillates, hydrotreated heavy naphthenic	A2	Group 1	Known	X
Chloroalkanes		Group 2B		X

**ACGIH: (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

**IARC: (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**NTP: (National Toxicity Program)**

Known - Known Carcinogen

**OSHA: (Occupational Safety & Health Administration)**

X - Present

**Reproductive Toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Chronic Toxicity**

Prolonged skin contact may defat the skin and produce dermatitis. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

**Target Organ Effects**

Respiratory system. Eyes. Skin. Central nervous system (CNS).

**Aspiration Hazard**

No information available.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent-refined light paraffinic 64741-89-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Residual oils (petroleum), solvent refined 64742-01-4	-	> 5000 mg/L: LC50 96 h (Oncorhynchus mykiss)	-	EC50 48 h: > 1000 mg/L (Daphnia magna)

Naphtha (petroleum), hydrotreated heavy 64742-48-9		LC50 96 h: = 2200 mg/L (Pimephales promelas)		LC50 96 h: = 2.6 mg/L (Chaetogammarus marinus)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

**Mobility** No information available.

**Other Adverse Effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

**Note:** The information provided below may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional requirements and mode-specific, material-specific, or quantity-specific shipping requirements.

**DOT** Not regulated

**TDG** Not regulated

**MEX** Not regulated

**IATA** Not regulated.

**IMDG/IMO** Not regulated.

### 15. REGULATORY INFORMATION

#### International Regulations

**Ozone depleting substances** Not applicable  
**Persistent Organic Pollutants** Not applicable  
**Hazardous Waste** Not applicable  
**The Rotterdam Convention (Prior Informed Consent)** Not applicable  
**International Convention for the Prevention of Pollution from Ships (MARPOL)** Not applicable

#### International Inventories

**TSCA** Not determined  
**DSL** Complies  
**EINECS** Not determined  
**ELINCS** Not determined  
**ENCS** Not determined

IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AICS	Not determined

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
<b>HMIS</b>	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection X

<b>Prepared By</b>	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
<b>Issuing Date</b>	27-Jul-2017
<b>Revision Date</b>	27-Jul-2017
<b>Revision Note</b>	Initial Release.



**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**